

N.W. Helicopters, Inc.

Component	Part Number	Serial Number	Life to	Time/Cycles since	Limit	Comp TT@install	A/C TT@install	Date Installed	Remove @	TT/Cycles Remaining	% Remain
M/R Drive Shaft	369D25510-21	038-0299	Ret	1912.7	3260	1601.7	5873.6	10/17/07	7531.9	1347.30	41
Overrunning Clutch	369A5350-41	1815	O/H	421.8	1800	269.8	6032.6	10/08/08	7562.8	1378.20	76
Sprag Assy	369D25351	7875	Ret	421.8	1800	269.8	6032.6	10/08/08	7562.8	1378.20	76
M/R Trans Assy	369D25100-507	0452	O/H	1575.6	3000	1264.6	5873.6	10/17/07	7609	1424.40	47
Horiz Stab	369D23601	0038	Ret	6259.0	7700	1274.4	1200	02/03/80	7625.6	1441.00	18
T/R Transmission	369D25400	640	O/H	3217.2	4800	3068	6035.4	06/02/09	7767.4	1582.80	32
T/R Hub Assy	369A1725-5	002222-7876	O/H	1859.3	3450	1809.5	6134.8	10/12/09	7775.3	1590.70	46
Compressor Assy	6890550	CAC-37064	O/H	1909.1	3500	1598.1	5873.6	10/16/07	7775.5	1590.90	45
Impeller	6876873	KR6226	Ret	1909.1	3550	1598.1	5873.6	10/16/07	7825.5	1640.90	46
Fuel Nozzle	23077068	AG62204	O/H	740.4	2500	429.4	5873.6	10/17/07	7944.2	1759.60	70
Turbine Assy	2308241	CAT-80143	O/H	1555.2	3500	1486.5	6115.9	10/07/09	8129.4	1944.80	55
Blade M/R	369D21100-513	002222-E139	Ret	1546.6	3530	1347.6	5985.6	08/26/08	8168	1983.40	56
Blade, M/R	369D21100-513	002222-E132	Ret	1546.6	3530	1347.6	5985.6	08/26/08	8168	1983.40	56
M/R Swashplate Assy	369D27609	1065	O/H	741.8	2770	0	5442.8	12/04/05	8212.8	2028.20	73
Blade M/R	369D21100-515	E335	Ret	1439.4	3530	1287.4	6032.6	10/08/08	8275.2	2090.60	59
Fuel Control	23065104	327491	O/H	369.1	2500	58.1	5873.6	10/16/07	8315.5	2130.90	85
Blade M/R	369D21100-517	002222-H567	Ret	1348.4	3530	1149.4	5985.6	08/26/08	8366.2	2181.60	61
1st Turb Whl	23073853	X546899	Start Cycle:	627.0	3000	5012	6115.9	10/07/09	7385	2373.00	79
2nd Turb Whl	23073854	X552476	Start Cycle:	627.0	3000	5012	6115.9	10/07/09	7385	2373.00	79
Blade, T/R	500P3100-101	A704	Ret	2693.0	5140	2543.8	6035.4	06/02/09	8631.6	2447.00	47
Blade, T/R	500P3100-103	A703	Ret	2693.0	5140	2543.8	6035.4	06/02/09	8631.6	2447.00	47
Fuel Pump Assy	6899253	T2725	O/H	1506.9	4000	1195.9	5873.6	10/16/07	8677.7	2493.10	62
Blade M/R	369D21100-517	00999-J437	Ret	747.7	3530	595.7	6032.6	10/08/08	8966.9	2782.30	78
3rd Turb Whl	23001967	HX84871	Start Cycle:	3192.0	6000	5012	6115.9	10/07/09	7820	2808.00	46
4th Turb Whl	23055944	X534409	Ret	1554.3	4550	1485.6	6115.9	10/07/09	9180.3	2995.70	65
T/R Retention Strap	369A1706-509	003343-7254	Ret	1859.3	5100	1809.5	6134.8	10/12/09	9425.3	3240.70	63
Coupling Trans D/S	369H5660	0557	Ret	149.2	4300	0	6035.4		10335.4	4150.80	96
Coupling Trans D/S	369H5660	0620	Ret	149.2	4300	0	6035.4		10335.4	4150.80	96
Bolt Lead-Lag	369D21220	0025	Ret	1928.9	6120	1617.9	5873.6	10/17/07	10375.7	4191.10	68
Bolt Lead-Lag	369D21220	0036	Ret	1928.9	6120	1617.9	5873.6	10/17/07	10375.7	4191.10	68
Bolt Lead-Lag	369D21220	0050	Ret	1928.9	6120	1617.9	5873.6	10/17/07	10375.7	4191.10	68
Bolt Lead-Lag	369D21220	0119	Ret	1928.9	6120	1617.9	5873.6	10/17/07	10375.7	4191.10	68
Bolt Lead-Lag	369D21220	0194	Ret	1928.9	6120	1617.9	5873.6	10/17/07	10375.7	4191.10	68
M/R Mast Assy	369D22014	0047	Ret	6184.6	10450	0	0	01/01/77	10450	4265.40	40
4th Turb Whl	23055944	X534409	Start Cycle:	627.0	6000	5012	6115.9	10/07/09	10385	5373.00	89
Pin Folding M/R	369A1004-5	9884-9145	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-9152	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-8868	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-9184	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-9335	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-9128	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-8978	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74

N.W. Helicopters, Inc.

Component	Part Number	Serial Number	Life to	Time/Cycles since	Limit	Comp TT@install	A/C TT@install	Date Installed	Remove @	TT/Cycles Remaining	% Remain
Pin Folding M/R	369A1004-5	-8975	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-9357	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Pin Folding M/R	369A1004-5	-8999	Ret	1928.9	7600	1617.9	5873.6	10/17/07	11855.7	5671.10	74
Vertical Stab	369D23600	0034	Ret	6184.6	12700	0	0	01/01/77	12700	6515.40	51
Impeller	6876873	KR6226	Start Cycle:	2434.0	9150	4815	5873.6	10/16/07	11728	6716.00	73
M/R Hub Sub/Assy	369D21201	3524	Ret	1928.9	8900	1617.9	5873.6	10/17/07	13155.7	6971.10	78
T/R Output Pinion	369D25430	1559	Ret	256.3	7290	0	5928.3	11/13/07	13218.3	7033.70	96
Pitch Housing	369D21300-501	0402	Ret	1928.9	9100	1617.9	5873.6	10/17/07	13355.7	7171.10	78
Pitch Housing	369D21300-501	0403	Ret	1928.9	9100	1617.9	5873.6	10/17/07	13355.7	7171.10	78
Pitch Housing	369D21300-501	0449	Ret	1928.9	9100	1617.9	5873.6	10/17/07	13355.7	7171.10	78
Pitch Housing	369D21300-501	0450	Ret	1928.9	9100	1617.9	5873.6	10/17/07	13355.7	7171.10	78
Pitch Housing	369D21300-501	0604	Ret	1928.9	9100	1617.9	5873.6	10/17/07	13355.7	7171.10	78
Tailboom Assy	369D23500-505	1698	Ret	2882.3	10300	0	3302.3	11/15/86	13602.3	7417.70	72
Ld/Lg Link	369H1203-51	BV22	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV32	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV36	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV39	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV46	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV55	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV59	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV60	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV71	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
Ld/Lg Link	369H1203-51	BV66	Ret	1928.9	11080	1617.9	5873.6	10/17/07	15335.7	9151.10	82
T/R Drive Shaft	369D25518	0705	Ret	1817.8	13900	0	4366.8	07/10/91	18266.8	12082.20	86
T/B Attach Bolts	MS21250-06014	NSN	Ret	6184.6	21950	0	0	01/01/77	21950	15765.40	71
Engine Assy	250-C20B	CAE832767	Start Cycle:	10374.0	250000	4815	5873.6	10/16/07	244638	239626.00	95
Engine Assy	250-C20B	CAE832767	Ret	8817.1	250000	8506.1	5873.6	10/16/07	247367.5	241182.90	96
Compressor Assy	6890550	CAC-37064	Start Cycle:	5868.0	250000	4815	5873.6	10/16/07	249144	244132.00	97
1st Comp Whl	6890501	C53721	Start Cycle:	5868.0	250000	4815	5873.6	10/16/07	249144	244132.00	97
2/3 Comp Whl	6890502	C42726	Start Cycle:	5868.0	250000	4815	5873.6	10/16/07	249144	244132.00	97
4th Comp Whl	6876654	C40856	Start Cycle:	5868.0	250000	4815	5873.6	10/16/07	249144	244132.00	97
5th Comp Whl	6876655	C24858	Start Cycle:	5868.0	250000	4815	5873.6	10/16/07	249144	244132.00	97
6th Comp Whl	6876656	C26148	Start Cycle:	2434.0	250000	4815	5873.6	10/16/07	252578	247566.00	99
Comp Adapter	23034784	TH87312	Start Cycle:	2434.0	250000	4815	5873.6	10/16/07	252578	247566.00	99
Comp Tie Bolt	6871259	25857	Start Cycle:	2434.0	250000	4815	5873.6	10/16/07	252578	247566.00	99
M/R Drive Shaft	369D25510-21	038-0299	Rin	12435.7	1000000		5873.6	10/17/07	1000000	987564.30	98

N.W. Helicopters, Inc.

A/C Registration: N31HM
 S/N: 1160027D
 A/C Total Time: 6184.6

Engine1 S/N: CAE832767
 Hours: 8817.1
 Cycles: 10374.0

Start Cycles 5012.00
 Rin 5873.60
 T/E 15
 T/E 0

Last Insp. Type: 100/Annual
 Last Insp Time: 6115.9
 Last Annual: 10/07/09

Requirement	Description	Frequency	Life	Last C/W	Time Since	Time Remaining	C/W @
Monthly Fire Ext.	Visual and Weigh	Mths:	1	10/07/09	2	-1	11/07/09
ELT BATTS	Change Batteries	Mths:	24	2/14/08	22	2	02/14/10
YEARLY INSP.	INSPECTION	Mths:	12	06/02/09	6	6	06/02/10
300HR, 12 months	M/D 600 HR, 1 year spec insp	Mths:	12	06/02/09	6	6	06/02/10
Engine Fuel Filter	CHANGE ENG. FILTER	Mths:	12	06/02/09	6	6	06/02/10
SERVICE M/R G/BOX	CHANGE OIL/CK FILTER	Mths:	12	06/02/09	6	6	06/02/10
SERVICE S/GEN	INSP BRUSHES	Mths:	12	06/02/09	6	6	06/02/10
ELT CHECK	91.207(D)	Mths:	12	06/02/09	6	6	06/02/10
PART SEP CLEANING		Mths:	12	06/02/09	6	6	06/02/10
AD 90-19-02	Overrunning clutch inspection	Mths:	12	06/02/09	6	6	06/02/10
Airframe Fuel Filter	Change Filter	Mths:	12	06/02/09	6	6	06/02/10
Transponder	Operational Check	Mths:	24	07/22/08	17	7	07/22/10
24 Month	Pitot-Static System Check	Mths:	24	07/22/08	17	7	07/22/10
M/R Grease	2 yr Grease	Mths:	24	07/22/08	17	7	07/22/10
SERVICE TRANSPONDER	CHECK OPERATION	Mths:	24	07/22/08	17	7	07/22/10
T/R Swashplate Grease	2 yr Grease	Mths:	24	07/22/08	17	7	07/22/10
M/R Swashplate regrease		Mths:	24	07/22/08	17	7	07/22/10
SERVICE T/R G/BOX	CHANGE OIL	Mths:	12	10/07/09	2	10	10/07/10
24 Month	Weigh Aircraft	Mths:	24	06/02/09	6	18	06/02/11
AD 2007-12-23	Landing Gear Strut Inspection	Hrs:	100	6115.9	68.7	31.3	6215.9
100 HR/ANNUAL	INSPECTION	Hrs:	100	6115.9	68.7	31.3	6215.9
AD 88-17-09R1	T/R TRANS INSP	Hrs:	100	6115.9	68.7	31.3	6215.9
AD 89-02-01R1	M/R STRAP INSP	Hrs:	100	6115.9	68.7	31.3	6215.9
AD 94-24-04	INSP T/R P/C LOCKWAS	Hrs:	100	6115.9	68.7	31.3	6215.9
AD 95-03-13	VISUAL INSP 5X GLASS	Hrs:	100	6115.9	68.7	31.3	6215.9
SERVICE BATTERY		Hrs:	100	6115.9	68.7	31.3	6215.9
AD 96-10-09	M/R BLADE INSPECTION	Hrs:	100	6115.9	68.7	31.3	6215.9
SERVICE ENG OIL SYS	CHG EXT OIL FILTER	Hrs:	200	6035.4	149.2	50.8	6235.4
SERVICE ENG OIL SYS	CHG OIL	Hrs:	200	6115.9	68.7	131.3	6315.9

N.W. Helicopters, Inc.

Requirement	Description	Frequency	Life	Last C/W	Time Since	Time Remaining	C/W @
AD-81-26-01 R1	Main rotor drive shaft	Hrs:	300	6035.4	149.2	150.8	6335.4
300 hr Clutch	INSP/REPACK O/R CLUT	Hrs:	300	6035.4	149.2	150.8	6335.4
300HR, 12 months	M/D 600 HR, 1 year spec insp	Hrs:	300	6035.4	149.2	150.8	6335.4
Engine Fuel Filter	CHANGE ENG. FILTER	Hrs:	300	6035.4	149.2	150.8	6335.4
SERVICE M/R G/BOX	CHANGE OIL/CK FILTER	Hrs:	300	6035.4	149.2	150.8	6335.4
SERVICE S/GEN	INSP BRUSHES	Hrs:	300	6035.4	149.2	150.8	6335.4
300 HR AIRFRAME	INSPECTION	Hrs:	300	6035.4	149.2	150.8	6335.4
PART SEP CLEANING		Hrs:	300	6035.4	149.2	150.8	6335.4
300 HR ENGINE	INSPECTION	Hrs:	300	6035.4	149.2	150.8	6335.4
AD 90-19-02	Overrunning clutch inspection	Hrs:	300	6035.4	149.2	150.8	6335.4
Airframe Fuel Filter	Change Filter	Hrs:	300	6035.4	149.2	150.8	6335.4
SERVICE T/R G/BOX	CHANGE OIL	Hrs:	300	6115.9	68.7	231.3	6415.9
SERVICE FLIGHT CONTR	INSP CYCLIC SYS	Hrs:	600	5873.6	311.0	289	6473.6
M/R BLADE T/E INSPECTION	750 HRS & 13720 T/E TOTAL	Hrs:	750.0	5873.6	311.0	439	6623.6
M/R Grease	2 yr Grease	Hrs:	2770	5985.6	199.0	2571	8755.6
T/R Swashplate Grease	2 yr Grease	Hrs:	2770	5985.6	199.0	2571	8755.6
M/R Swashplate regrease		Hrs:	2770	5985.6	199.0	2571	8755.6
LD/LG Damper inspection	Convert to 300 hr inspection at 4200 Corr Hrs:		3976.0	5873.6	311.0	3665	9849.6